

CAMPO Equipment Skid Mount IDF Heaters



Blaze EB700D/G
Blaze EB1000D/G
Blaze EB2000D/G
Oil Fired, LPNG Indirect Fired Heaters

*Quiet, Efficient
and Safe Heat*



Profitable Heat Technology For The 21st Century

Why Should You Fleet With Campo Heaters?



CAMPO Brings The Versatility and Reliability Your Customer's Demand

Long Duct Runs – With duct runs up to 400ft (varies by model), your customers can 'custom place' the heat where they really need it! Even vertical installations to upper floors!


High Static Pressure and CFM – Your customers will heat their work space much faster... saving fuel. And in drying/curing environments, your painting, coating, drywall and restoration contractors will complete their jobs at a quickened pace!

Recirculation – Your customer will save 30-50% on fuel costs when the jobsite environment allows for a closed loop, recirculating system.

QUIET – Your customers can place these heaters in residential/hospital zones 24/7 with very little chance of complaints from 'irritated neighbors'.

Plug-and-Play Burner Capability Provides The Ultimate In Heat Fleet Versatility!

The G series comes standard with an EZ-switch valve that allows for switching between natural gas and propane in an instant! AND, with CAMPO's optional **Quick Swap Oil-Fired Burner** assembly, you can meet the ever changing demands of the Jobsite and customer, without losing the rental *and the revenue!*



CAMPO Brings Profitability Back To Your Rental Operation!

CAMPO has addressed the pain points associated with heater rentals so that your service, delivery and sales teams will spend less time responding to little issues that cost you BIG time and money. You will receive fewer 'equipment down' calls from angry customers. Overtime costs, after hours service calls and 'Red Label' parts shipments will decrease. Take back control of your profitability!

AND, call us anytime for technical assistance 24/7! **Fleet With CAMPO Heaters!**



All Campo Skids come with fork pockets, lifting eyes and are stackable for efficient off-season storage!



User Friendly control panel, incoming voltage meter and digital thermostat allow efficient heat solutions!



On-Board Diagnostics for fast diagnosis and repair. Spin-On filters standard on all CAMPO oil-fired heaters!



Beckett Burners exclusively for fast and easy parts sourcing, increasing uptime!

Big Heat. BIGGER MARGINS!



Custom Paint

Build your companies 'brand awareness' by fleetting up with your corporate color!

For the Tent and Event industry...

Consider fleetting with an elegant white heater and matching duct! Remember that CAMPO heaters run smoothly, are very quiet and deliver more air. Your space will warm up much faster, guests will be more comfortable and your client will be really happy!

	EB700D/G	EB1000D/G	EB2000D/G
BTU's	700,000	1,000,000	2,000,000
Efficiency	88%	88%	88%
CFM (3 speed fan standard)	up to 10,000	up to 13,500	up to 16,000
Static Pressure	4	7.9	6.5
Duct Runs (max & dia)	200ft x 20"	400ft x 24"	200ft x 24"
Recirculating Capable	YES	YES	YES
Fork Pockets	YES	YES	YES
CSA and UL Approved	YES	YES	YES

CAMPO ECOBlaze Indirect Fired Skid Mount Heaters

FUEL TYPE	Oil	LP/NG	Oil	LP/NG	Oil	LP/NG
SPECIFICATIONS	EB700D	EB700G	EB1000D	EB1000G	EB2000D	EB2000G
BTU/hour x 1000 (1K)	700K	700K	1 Million	1 Million	2 Million	2 Million
Airflow (CFM)	to 10,000 (3speed)	to 10,000 (3speed)	to 13,500 (3speed)	to 13,500 (3speed)	to 16,000 (3speed)	to 16,000 (3speed)
Recirculating Capability	Std	Std	Std	Std	Std	Std
Static Pressure (max inches)	4	4	7.9	7.9	6.5	6.5
Ducting OUT/RETURN (FT)	200	200	400	400	200	200
Inlet/Outlet Size (inches)	1 x 24"/1 x 24" or 2 x 16"		1 x 24"/1 x 24" or 2 x 20" or 4 x 12"		1 x 24"/1 x 24" or 2 x 20" or 3 x 20"	
Efficiency	88%	88%	88%	88%	88%	88%
Fuel Capacity (US Gal.)	175*	n/a	250*	n/a	n/a	n/a
Max Run Time	35	n/a	35	n/a	n/a	n/a
Fuel Consumption (US gph)	5	7.81lp / 19.54ng	7.14	11.17lp / 27.92ng	10 / 14.28	22.34lp / 55.84ng
Amps	16(1ph) - 8.5(3ph)	16(1ph) - 8.5(3ph)	42(1ph) - 25(3ph)	42(1ph) - 32(3ph)	55(1ph) - 32(3ph)	55(1ph) - 32(3ph)
Voltage	208-240	208-240	208-240	208-240	208-240	208-240
Phase	Single, Three	Single, Three	Single, Three	Single, Three	Single, Three	Single, Three
Thermostat	Std	Std	Std	Std	Std	Std
MAX Discharge Temp (F)	200	200	200	200	265	265
Delta (Temp Rise over ambient)	170	170	180	180	220	220
KW Draw (20% added)	4KW(1ph) - 3KW(3ph)	4KW(1ph) - 3KW(3ph)	17KW(1ph) - 9KW(3ph)	17KW(1ph) - 9KW(3ph)	13KW(1ph) - 11KW(3ph)	13KW(1ph) - 11KW(3ph)
FEATURES	EB700D	EB700G	EB1000D	EB1000G	EB2000D	EB2000G
Whisper Quiet Operation	Std	Std	Std	Std	Std	Std
Soft Start	VFD	VFD	VFD	VFD	VFD	VFD
Onboard Burner Diagnostics	Std	n/a	Std	n/a	Std	n/a
Onboard Digital Voltmeter	Std	Std	Std	Std	Std	Std
Easy LP/NG Switchover	n/a	Std	n/a	Std	n/a	Std
Redundant Failsafe Controls	Std	Std	Std	Std	Std	Std
Oil Pressure Gauge	Std	n/a	Std	n/a	Std	n/a
Spin Off Oil Filter	Std	n/a	Std	n/a	Std	n/a
Approvals*	CSA / UL	CSA / UL	CSA / UL	CSA / UL	CSA / UL	CSA / UL
Spill Containment	n/a	n/a	n/a	n/a	n/a	n/a
Fork Pockets	Std	Std	Std	Std	Std	Std
Lifting Bar	4 point	4 point	4 point	4 point	4 Point	4 Point
Burner	Beckett	Beckett	Beckett	Beckett	Beckett	Beckett
Hourmeter	Std	Std	Std	Std	Std	Std
Manual Fan Override	Std	Std	Std	Std	Std	Std
Stainless Heat Exchanger	Std	Std	Std	Std	Std	Std
Powder Coat Finish	Std	Std	Std	Std	Std	Std
Weight (lbs) dry	1200	1200	2000	2000	2950	2950
LxWxH (inches)	92x33.25x45	92x33.25x45	111x33.25x50	111x33.25x50	144x33.25x67	144x33.25x67
OPTIONS	EB700D	EB700G	EB1000D	EB1000G	EB2000D	EB2000G
Ducting (HighTemp and Return)	Yes	Yes	Yes	Yes	Yes	Yes
Remote Thermostat (50 ft)	Yes	Yes	Yes	Yes	Yes	Yes
Heated Filter Cartridge	Yes	n/a	Yes	n/a	Yes	n/a
Quick Connect Fuel Line Couplers	Yes	n/a	Yes	n/a	Yes	n/a
Tempered Air Mode	Yes	Yes	Std	Std	Std	Std
Larger Fuel Tank	Yes (175USGal)	n/a	Yes (250USGal)	n/a	n/a	n/a

*Certified to CSA/UL standards by OMNI | CAMPO is a continuous improvement company therefore specifications may change due to advancements in technology

Check Out All Our Rental Heat Solutions at CAMPOEquipment.com



Campo Equipment
6 Carson Ct – Brampton, Ontario
Canada – L6T 4P8



Skid Mounted LPNG or Diesel Heaters EB700D/G, EB1000D/G, EB2000D/G



Hand Carry Electric Heaters Blaze 1.5E, 3E, 6/9E, 18E



Skid/Caster Mount Electric Heaters Blaze 60KW and Blaze 150KW

866.323.0042 | www.CampoEquipment.com